



**STANDARD FOR
PARTIAL DISCHARGE TEST PROCEDURE**

Publication ANSI/ICEA T-24-380-2007

December 19, 2007

© 2007 by

INSULATED CABLE ENGINEERS ASSOCIATION, Inc.

ANSI/ICEA T-24-380-2007

STANDARD FOR
Partial Discharge Test Procedure

Standard
ANSI/ICEA T-24-380-2007

Published By
INSULATED CABLE ENGINEERS ASSOCIATION, Inc.
Post Office Box 1568
Carrollton, Georgia 30112, U.S.A.

Approved by Insulated Cable Engineers Association, Inc.: June 13, 2007
Approved by ANSI: December 18, 2007

© Copyright 2007 by the Insulated Cable Engineers Association, Inc. All rights including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American Copyright Conventions.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

The Insulated Cable Engineers Association, Inc. (ICEA) standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together persons who have an interest in the topic covered by this publication. While ICEA administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

ICEA disclaims liability for personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. ICEA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. ICEA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, ICEA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is ICEA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

ICEA has no power, nor does it undertake to police or enforce compliance with the contents of this document. ICEA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to ICEA and is solely the responsibility of the certifier or maker of the statement.

FOREWORD

The Insulated Cable Engineers Association Inc. (ICEA) developed this Standards Publication for Partial Discharge Test Procedure (ICEA T-24-380).

ICEA standards are adopted in the public interest and are designed to eliminate misunderstandings between the manufacturer and the user and to assist the user in selecting and obtaining the proper product for his particular need. Existence of an ICEA standard does not in any respect preclude the manufacture or use of products not conforming to the standard. The user of this Standards Publication is cautioned to observe any health or safety regulations and rules relative to the manufacture and use of cable made in conformity with this Standard.

Requests for interpretation of this Standard must be submitted in writing to the Insulated Cable Engineering Association, Inc., P. O. Box 1568, Carrollton, Georgia 30112. An official written interpretation will be provided. The Association will welcome suggestions for improvements gained in the use of this Standard.

The members of the ICEA working group contributing to the writing of this Standard consisted of the following:

R. Bristol, Chairman

E. Bartolucci
R. Fleming
A. Pack
E. Walcott

S. Campbell
L. Hiivala
R. Szilagyi
R. Williamson

J. Cancelosi
F. Kuchta
W. Temple

D. Elder
D. Land
R. Thrash

TABLE OF CONTENTS

		Page
1.0	SCOPE.....	1
	1.1 Single Conductor Cables.....	1
	1.2 Multiple Conductor Cables.....	1
2.0	DEFINITIONS.....	1
3.0	TEST APPARATUS.....	2
	3.1 Alternating-current Power Supply.....	2
	3.2 Voltage Measuring Device.....	2
	3.3 Partial Discharge Measuring Device.....	2
	3.4 Partial Discharge Calibrator.....	2
	3.5 Supplementary Partial Discharge Meters and Graphic Recorders.....	2
4.0	CALIBRATION OF TEST EQUIPMENT.....	3
	4.1 Calibration Schedule.....	3
	4.2 Calibration Procedure.....	3
	4.2.1 Calibrator Connections.....	3
	4.2.2 Primary Display Sensitivity.....	3
	4.2.2.1 Oscillographic Display Adjustment.....	3
	4.2.2.2 Detector Response.....	3
	4.2.3 Supplementary Measuring Devices.....	3
	4.2.4 Partial Discharge Scale.....	3
	4.2.5 Calibration Signal Displaying.....	4
	4.2.5.1 Calibrating Capacitor.....	4
	4.2.5.2 Secondary Calibrating Pulse.....	4
5.0	TEST PROCEDURE.....	4
	5.1 Sequence.....	4
	5.2 Background Noise.....	4
	5.3 Test Voltage.....	4
	5.3.1 Minimum Partial Discharge Extinction Level.....	4
	5.3.2 Maximum Partial Discharge Level.....	5
	5.4 Partial Discharge Level.....	5
6.0	SYSTEM RESPONSE VERIFICATION.....	5
	6.1 AC Voltage Measuring Device.....	5
	6.2 Partial Discharge Measuring Device.....	5
	6.2.1 Linearity.....	5
	6.2.2 Two Pulse Response.....	5
	6.2.2.1 Characteristics.....	5
	6.2.2.1.1 Two Pulse.....	6
	6.2.2.1.2 Pulse Time Spacing.....	6
	6.2.2.1.3 Pulse Rise Time.....	6
	6.2.2.2 Procedure.....	6
	6.2.2.2.1 Equipment Connections.....	6

6.2.2.2.2	Display Adjustments.....	6
6.2.2.2.3	Pulse Characteristics Plot.....	6
6.2.2.2.4	Pulse Resolution Time and Superposition.....	7
6.3	Calibration.....	7
6.3.1	Pulse Rise Time.....	7
6.3.2	Pulse Synchronization.....	7
6.3.3	Calibrating Capacitor Capacitance.....	7
6.3.4	Calibrator Charge Magnitude.....	7
6.4	Supplementary Measuring Devices.....	7
6.4.1	Verification.....	7
6.4.1.1	Deflection Change.....	8
6.4.1.1.1	Fixed Phase Pulse.....	8
6.4.1.1.2	10-Microsecond Pulse.....	8
6.4.1.1.3	Pulse Repetition Frequency.....	8
6.4.2	Full Scale Deflection Time.....	8
6.4.3	Signal Gating.....	8
6.4.3.1	Background Noise.....	8

1.0 SCOPE

This Test Procedure applies to the detection and measurement of partial discharges occurring in the following types of electric cables:

1.1 Single Conductor Cables

Single conductor shielded cables and assemblies thereof.

1.2 Multiple Conductor Cables

Multiple conductor cables with individually shielded conductors within an outer covering.